



Contents


Your ideal solution		VELUX flat roof windows	
VELUX ACTIVE	4-5	Curved and flat glass rooflights	40-43
First class service	6-7	Flat roof domes	44-45
Brighter extensions	8-9	VELUY Modular Skylights	47 47
Features and finishes	10-11	VELUX Modular Skylights	46-47
Explore the possibilities	12-13	VELUX sun tunnels	48-49
Design inspiration		Smoke ventilation and rooflig	hts
Extension	14-15	Smoke ventilation system	50
Flat roof extension	16-17	Rooflights for uninhabited spaces	51
Loft conversion	18-19	Dealer Community of the	
Replacement roof windows	20-21	Replacing and upgrading	
VELUX hundles		Replacing existing roof windows	52-53
VELUX bundles		Upgrading existing roof windows	54
Loft bundles	22-23	Upgrading glazing	55
Extension bundles	24-25	Installation products	56-57
VELUX roof windows		·	
Centre-pivot roof windows	26-27	Flashings	
VELUX INTEGRA® roof windows	28-29	Flashings	58
VELUX ACTIVE	30-31	Recessed and standard flashings	59
Top-hung roof windows	32-33	Twin and combination flashings	60-61
Conservation roof windows	34-35	Blinds and Accessories	
VELUY CARRIO® beloom:	27.27	Blinds and shutters	62-72
VELUX CABRIO® balcony	36-37	Accessories	73
Sloping combinations			
Sloping and vertical combinations	38	Size guide	74
Sloping and fixed combinations	39		



Full product range available to view. Visit **brochures.velux.co.uk**

Advice on product selection and installation instructions are also available on our website **velux.co.uk**





INTRODUCING

VELUX ACTIVE

For a smarter, healthier home

90% of our time is spent inside, so maintaining good air quality is more important than ever.

We have partnered with revolutionary smart home company NETATMO to bring you a brand new way to control your home's indoor climate.

Smart sensors measure temperature, CO² and humidity levels. The system then reacts to operate your VELUX INTEGRA® products – adjusting them automatically to provide the right level of ventilation.

VELUX ACTIVE is the smarter way to achieve a healthier indoor climate.

Watch the video and find out more at: velux.co.uk/active



VELUX ACTIVE

Smart sensor-based operation of your VELUX roof windows, blinds and shutters.

NETATMO

Compatible with VELUX INTEGRA® products installed after 2006.



Why choose VELUX ACTIVE?

We all know how good fresh air makes us feel when we step out of the house. So it follows that our home's indoor climate is important too.

Air quality is influenced by temperature, humidity and CO² levels. A healthy indoor climate can give you more energy and may mean you sleep more soundly.

With this in mind, we created VELUX ACTIVE.

Fresh air daily

The system can ventilate your house three times a day for a healthier home.

Come rain or shine

The smart sensor-based system uses external data to intuitively react to weather conditions. For instance, when hot weather is predicted, it can open your VELUX INTEGRA® electric or solar roof windows to prevent the room from overheating.

Safe and sound

On your way out? Tap the departure switch to close your VELUX INTEGRA® electric or solar roof windows for security and peace of mind.

Easy to install

If you already have VELUX INTEGRA® products, VELUX ACTIVE is easy to install yourself.

Find out more on page 30 →

STAY IN CONTROL

Control your VELUX INTEGRA® electric or solar roof windows, blinds and shutters from anywhere in the world with the VELUX ACTIVE app.




Say the word: Apple HomeKit® compatibility lets you use voice control to operate your VELUX INTEGRA® products for the ultimate in convenience.











The world's Number 1 in roof windows because...

- We've been at the very forefront of innovative design in roof windows for over 75 years.
- Our products are tried, tested and guaranteed.
- We use cutting edge manufacturing techniques to ensure quality and consistency.
- We have a zero defect philosophy embedded into our workforce, as well as stringent final inspections, ensuring products arrive with you in perfect condition.
- VELUX products are rigorously tested in Northern Europe's largest wind tunnel and are backed by a comprehensive guarantee.





Long-term peace of mind when you choose VELUX

Please visit **velux.co.uk/registration** to register your VELUX roof window guarantee.









Expert technical and aftersales service

You can always call on our expert team for technical support and specification advice. They're here to give you in-depth assistance on planning, installation and aftercare.

Call us on: **01592778 225**



The tools to build your project

We offer you the best products on the market – we also understand the importance of helping you choose the best solution for your project. Our first class marketing materials provide inspiration and give you opportunities to enhance and expand your project.



Reliable logistics

With a vast amount of our products available in two working days, you can rely on us to deliver quickly and on time.



Dedicated field support

Our team in the UK and Ireland strive to constantly improve the service you receive. As well as advice by phone, our nationwide service technicians and field sales teams are happy to offer hands-on support throughout the year.









VELUX

Bring in more daylight make the most of your extension

Pitched and flat roof extensions

Many people tend to rely on glass doors such as bi-fold and patio doors to bring daylight into their extensions. However, as extension doors tend to be further away from the original room, natural daylight – even on the brightest of days - can't penetrate very far into the house.

Bring daylight deeper into your home

VELUX roof windows PLUS vertical glass doors are the answer – daylight penetrates much deeper into the home, making the original space and extension so much brighter.

To maximise the light, it's important to ensure you install the right number, type and size of roof windows - fitting multiple or larger roof windows will help you maximise the daylight in your extension.

Create a more comfortable. airy living space

Ventilation is key for enjoying the optimal indoor climate, creating a space that everyone loves spending time in. After all, you want a comfortable family space without lingering cooking smells. For out-of-reach areas, VELUX INTEGRA® electric and solar roof windows open and close at the touch of a button. The built-in automatic rain sensors will even close the roof windows when it rains.


It's recommended that your glazing takes up an area egual to 15-20% of the area's total floor space

The perfect finish for a lighter, brighter home

VELUX white painted windows help reflect even more daylight into your extension. The bright white finish with discreet wood grain is perfect for living room extensions. while white polyurethane roof windows are maintenance-free, so they're ideal for humid rooms like kitchen extensions.

FOR PITCHED ROOFS...

VELUX roof windows can bring in TWICE as much daylight* as vertical windows of the same size.



...AND FLAT ROOFS

VELUX curved glass rooflights are perfect for flat roof extensions, letting daylight into the room. Their unique glass-toedge design prevents water pooling on the surface – so rain runs off and daylight floods in.



*Source: Johnsen et al, 2016

Find more information at velux.co.uk/extensions

Brighter extensions

Our product features at a glance

Our highly engineered roof windows have the latest technology built in. Our research and development teams are continuously refining products to improve performance.

The following features come as standard with all of our roof windows and are designed to make installation and operation easier, as well as ensuring our products look their best.

We are the only roof window supplier offering safety glazing as standard.



Safety glazing prevents glass from falling into your home if broken, and is standard in all of our roof windows (excluding rooflights for uninhabited spaces). Glazing options include noise reduction, privacy and added insulation.



Our maintenance-free, high quality pivot hinges are designed with innovative technology, ensuring stability.



VELUX ThermoTechnology™ features high performance materials in the roof window construction. This ensures you use less energy whilst keeping the warmth in your home.



For easy cleaning of the outside pane, the barrel bolt locks the roof window in a 180° position. Now both hands are free for you to clean the outer pane easily and safely from within the room.



The same bracket is used for both recessed and standard installations. A simple red and blue line system shows where the bracket should be installed. You can be confident of a straightforward installation every time.



The unique brushed aluminium ventilation bar makes it possible to let fresh air into your home, even when the roof window is securely closed or when you are away or sleeping, without having to worry about security or bad weather.



Click-on covers make your installation easier, faster and safer, by reducing the number of screws required on-site.



Our pre-installed, patented mounting brackets come as standard on every new VELUX roof window and fit any of our VELUX blinds, making installation as straightforward as possible.

Pick&Click!*

The finishing touch to suit your home

THREE INTERNAL FINISH OPTIONS

Lighter, brighter modern living spaces are more popular than ever. To ensure you have the means to make the most of your project, we offer three internal finish options. All finishes have the same high VELUX quality combined with:

- laminated safety glass as standard
- straightforward installation
- · excellent value for money
- full range available and in stock
- short delivery time.

WHITE POLYURETHANE FINISH

- Wooden core encased in moisture-resistant white polyurethane. The first choice for humid rooms such as kitchens and bathrooms.
- No visible joints, so dirt can't accumulate in the corners.
- Maintenance-free, which is ideal for out-of-reach areas.
- Thermally moulded timber core delivers improved insulation.



VELUX

roof windows

WHITE PAINTED FINISH

- Painted before assembly for a flawless finish and outstanding durability.
- Bright white finish with discreet wood grain matches perfectly with modern interiors.
- $\bullet \quad \text{Lower maintenance than pine finish roof windows.} \\$
- Highly UV resistant, water-based breathable paint to preserve a crisp, bright look.



PINF FINISH

- Matches perfectly with traditional interiors.
- Protective triple coat clear lacquer helps to preserve the timber of the window.

Explore the possibilities...

Every VELUX product you choose will do a great job – but before you start, it's worth considering all the available solutions for the space you are creating. By choosing the right operation, glazing and blinds, you can make a big difference to your project and how the room functions.

Find the right window for you at **velux.co.uk/configurator**

Operation

Centre-pivot

Centre-pivot roof windows are operated via the top control bar, making it easy to open, even with furniture below the window.



Top-hung

Top-hung roof windows are operated by a handle at the bottom and open outwards, allowing you to take advantage of uninterrupted views and a feeling of extra space.



VELUX INTEGRA®

Ideal for those out-of-reach areas, you can control VELUX INTEGRA® roof windows remotely at the touch of a button. They're the ultimate choice for fresh air and better indoor comfort.



See all our roof window options on pages 26-39.

Glazing

Safety glazing – 70 pane

U-value 1.3 W/m²K

Laminated safety glazing comes as standard. In case of accidental breakage, this prevents glass falling into your room.



Noise reduction glazing – 60 pane

U-value 1.3 W/m²K

The benefits of 70 pane, plus outside noise reduction i.e. traffic, rain and hail, for a perfect night's sleep. Easy-to-clean coating that repels dust and debris.



Energy efficiency glazing – 66 pane

U-value 1.0 W/m²K

Triple glazed unit with enhanced energy efficiency. Anti-dew coating that provides a clearer view by reducing the number of hours dew is present on the glass.



For more glazing options visit pages 26-33.

Blinds and shutters

Energy and duo blackout blinds

Energy blinds feature double-pleated blackout fabric for insulation while our duo blinds give you blackout and pleated blinds in one.



VELUX INTEGRA® electric and solar operated blinds

Enjoy full control of daylight at your fingertips – choose from blackout, roller, pleated and light-dimming energy blinds in a full range of colours.



Awnings and shutters

VELUX awning blinds provide solar heat reduction in summer while VELUX roller shutters offer additional energy saving and noise reduction with the added bonus of complete blackout.



*per roof window.

Discover the full blinds range on pages 62-72.

Extension -

A beautifully light living space

OPEN PLAN EXTENSION

VELUX INTEGRA® roof windows transformed this room into a stunning, bright and welcoming living space. Now it's a kitchen with room to cook, entertain and spend time with family. Without roof windows, the original part of this building lacked direct sunlight because light from the vertical patio doors has a limited reach. The result is an ideal space for entertaining and relaxing.



VELUX RECOMMEND

VELUX INTEGRA®

Solar powered. Ideal for out-of-reach areas, with no wiring required.

WHITE POLYURETHANE

Moisture-resistant and maintenance-free, perfect for humid kitchens.

70 PANE

Safety glazing, prevents glass falling into your home in case of breakage.

KEY BENEFITS

- Maximises the light in a pitched roof room.
- Fresh air can be controlled.
- Conveniently close all your roof windows at once with just one touch of a button.

LIKE WHAT YOU SEE?

Find these products in this brochure: VELUX INTEGRA® \rightarrow



For top tips and more inspiration, request our extensions mini-guide at **velux.co.uk/extensions**



HAVE YOU CONSIDERED?

New VELUX ACTIVE

Enjoy smart sensor-based operation of your VELUX INTEGRA® products from your smartphone.

UPGRADE FOR £183.33

66 pane

Triple glazed unit with enhanced energy efficiency. Anti-dew coating that provides a clearer view.

UPGRADE FOR £165*

VELUX BLINDS

Control the amount of daylight and the temperature within a room by adding a VELUX blind or shutter:

Solar roller blinds FROM £208*

Solar awning blinds FROM £354*

*per roof window.

Flat roof extension –

Adding the natural daylight you're looking for

FLAT ROOF EXTENSION

A gloomy flat roof kitchen, that offered very little in the way of natural daylight, was transformed using a VELUX curved glass rooflight. Fresh air and light now flood the space and family members can spend time relaxing, cooking and eating. The curved glass rooflight is out-ofreach, but because it's a VELUX INTEGRA® electric rooflight, the control is at your fingertips and it can be opened or closed at a moment's notice.



VELUX RECOMMEND

VELUX CURVED GLASS ROOFLIGHTS

The innovative and unique glass-to-edge curved design creates an elegant and modern look whilst providing all the functional benefits of a traditional dome – giving you the best of both worlds.

Electric operation is recommended to provide ventilation at your fingertips.

KEY BENEFITS

- Glass-to-edge design ensures clear, undisrupted views and ensures rainwater runs off the window.
- Rain sensors feature on all VELUX INTEGRA® flat roof windows, which automatically close in the event of rain.
- Maintenance-free PVC construction with scratch resistant glass.

LIKE WHAT YOU SEE?

Find these products in this brochure: VELUX flat roof windows



For top tips and more inspiration, request our extensions mini-guide at velux.co.uk/extensions



HAVE YOU CONSIDERED?

New VELUX ACTIVE

Enjoy smart sensor-based operation of your VELUX INTEGRA® products from your smartphone.

UPGRADE FOR £183.33

VELUX BLINDS

Control the amount of daylight and the temperature within a room by adding a VELUX blind:

Electric light-dimming energy blinds FROM £243*

Solar light-dimming energy blinds FROM £248


*per roof window.

Loft conversion – Utilising every square metre

BEDROOM

This bright and airy bedroom was created by transforming an unused loft space. Using multiple VELUX roof windows rather than just one adds a real wow factor, and because they are top-hung, they allow for uninterrupted views.





VELUX RECOMMEND

TOP-HUNG

Enjoy panoramic, uninterrupted views.

WHITE PAINTED

Matches perfectly with modern interiors.

60 PANE

Noise reduction glazing is perfect for a good night's sleep.



KEY BENEFITS

- Gives a feeling of extra space.
- Allows full open view of your surroundings.
- Can be rotated 180° for easy cleaning.

LIKE WHAT YOU SEE?

Find these products in this brochure:

Top-hung roof windows





Awning blinds

For further inspiration you can request our lofts mini-guide at **velux.co.uk/lofts**

HAVE YOU CONSIDERED?

Sloping combinations of VELUX roof windows add a panoramic view and more natural light.

SEE PAGES 38-39

VELUX BLINDS

Control the amount of daylight and the temperature within a room by adding a VELUX internal or external blind.

Blackout blinds **AVAILABLE FROM £60***

AWNING blinds

AVAILABLE FROM £44*

*per roof window.

Replacement roof windows -It's easier than you think

Give your room a new lease of life by replacing an old VELUX roof window. Our white roof windows are made for modern interiors. Our roof windows can be replaced quickly and easily, it's simple to update them, giving your room a bright new look. The same standard VELUX sizes are available and they can usually be replaced from inside the room without disrupting the current internal finish.



Find a VELUX Certified Installer near you, visit velux.co.uk/findaninstaller





WHY REPLACE YOUR **ROOF WINDOWS?**

- For a brighter, contemporary look, switch your old pine roof windows for white ones. White roof windows reflect more light back into the room than darker surfaces.
- Replace your manual roof windows with VELUX INTEGRA® electric or solar roof windows and you'll be able to open and close them at a touch of a button – perfect for out-of-reach areas.
- In loft conversions, change centre-pivot for top-hung roof windows and enjoy uninterrupted views.

KEY BENEFITS

- Improved insulation means your room will become more energy efficient.
- Can usually be replaced from inside the room without disrupting the current internal finish.
- Same standard VELUX sizes available, but with bigger glazed area, meaning more daylight in your home.
- Replaced in as little as four hours.

DID YOU KNOW?

Replacement flashings allow old roof windows to be replaced without disturbing the interior lining.

LIKE WHAT YOU SEE?

Find these products in this brochure: Replacement section



VELUX BLINDS

We have a range of blinds featuring an array of designs and finishes – and our PICK&CLICK!™ system means they can be fitted in minutes.

HAVE YOU CONSIDERED?

Including noise reduction, privacy

Upgraded glazing

and added insulation.

SEE THE RANGE -PAGES 62-72 FROM £60*

*per roof window.

Shown on right, VELUX centre-pivot white painted roof window (GGL MK08 2060)

To find the best replacement window for you, use our replacement configurator at velux.co.uk/replacement

Design inspiration

21

23

VELUX bundles All you need for a perfect project

Save £15 compared to buying products individually. A successful job comes down to choosing the right materials and fittings. So it's important to specify everything you need at the outset to get it right first time. To help you, we've selected the optimal products for key projects, shown here as bundles, making it easier to order and ensuring you get everything you need. The handy price chart makes managing your budget easier too.



Loft bundle – perfect for bedrooms

Light is a big consideration in bedrooms. On the one hand you want a bright and airy room, but most people like a darker room for a good night's sleep, so these bundles combine a blackout blind with your choice of roof window.



FLASHING – Marries the roof window to the roofing material. Available for either slate or tile roofs, for roof pitches between 15-90° for centre-pivot and 15-55° for top-hung roof windows.



INSTALLATION PRODUCTS – Ensures a well-insulated and weather-tight installation. The kit features an insulation collar, transverse drainage gutter and underfelt collar.



TOP-HUNG WHITE PAINTED ROOF WINDOW – Ideal for when the roof window is in reach – make the most of your view and create a feeling of extra space. Includes noise reduction glazing to reduce airborne and rain noise for a restful sleep. **TIP:** Install two or more for a lighter, brighter space.



CENTRE-PIVOT WHITE PAINTED ROOF WINDOW – Ideal for when the roof window is set higher in the roof pitch or above furniture. Includes noise reduction glazing to reduce airborne and rain noise for a restful sleep. **TIP:** Extra roof windows create an airy and brighter room.



BLACKOUT BLIND – Fabric offers complete blackout for darkness, ensuring a good night's sleep. Install your blind in minutes with our unique Pick&Click!™ system. Available in 2 colours.

DUO BLACKOUT BLIND – Our duo blind combines blackout and pleated blinds in one. Available in 2 colours. Install your blind in minutes with our unique Pick&Click!™ system.

Choose from: White Beige

> Choose from: White Beige

55 x 98	78 y 98	78 x 118	78 v 140	94 v 140	114 x 11

Code	Description	CK04	MK04	MK06	MK08	PK08	SK06
Top-hung roof windo	w						
GPL SD0L11101	Top-hung white painted roof window with noise reduction glazing, insulated flashing for slate and blackout blind in white	£564	£609	£666	£723	£818	£840
GPL SD0L11102	Top-hung white painted roof window with noise reduction glazing, insulated flashing for slate and blackout blind in beige	£564	£609	£666	£723	£818	£840
GPL S10L01	Top-hung white painted roof window with noise reduction glazing, insulated flashing for slate and duo blind in white	£586	£631	£688	£745	£840	£862
GPL S10L02	Top-hung white painted roof window with noise reduction glazing, insulated flashing for slate and duo blind in beige	£586	£631	£688	£745	£840	£862
GPL SD0W11101	Top-hung white painted roof window with noise reduction glazing, insulated flashing for tiles and blackout blind in white	£564	£609	£666	£723	£818	£840
GPL SD0W11102	Top-hung white painted roof window with noise reduction glazing, insulated flashing for tiles and blackout blind in beige	£564	£609	£666	£723	£818	£840
GPL S10W01	Top-hung white painted roof window with noise reduction glazing, insulated flashing for tiles and duo blind in white	£586	£631	£688	£745	£840	£862
GPL S10W02	Top-hung white painted roof window with noise reduction glazing, insulated flashing for tiles and duo blind in beige	£586	£631	£688	£745	£840	£862
Centre-pivot roof win	ndow						
GGL SD0L11105	Centre-pivot white painted roof window with noise reduction glazing, insulated flashing for slate and blackout blind in white	£468	£505	£548	£593	£667	£685
GGL SD0L11106	Centre-pivot white painted roof window with noise reduction glazing, insulated flashing for slate and blackout blind in beige	£468	£505	£548	£593	£667	£685
GGL S10L01	Centre-pivot white painted roof window with noise reduction glazing, insulated flashing for slate and duo blind in white	£490	£527	£570	£615	£689	£707
GGL S10L02	Centre-pivot white painted roof window with noise reduction glazing, insulated flashing for slate and duo blind in beige	£490	£527	£570	£615	£689	£707
GGL SD0W11105	Centre-pivot white painted roof window with noise reduction glazing, insulated flashing for tiles and blackout blind in white	£468	£505	£548	£593	£667	£685
GGL SD0W11106	Centre-pivot white painted roof window with noise reduction glazing, insulated flashing for tiles and blackout blind in beige	£468	£505	£548	£593	£667	£685
GGL S10W01	Centre-pivot white painted roof window with noise reduction glazing, insulated flashing for tiles and duo blind in white	£490	£527	£570	£615	£689	£707
GGL S10W02	Centre-pivot white painted roof window with noise reduction glazing, insulated flashing for tiles and duo blind in beige	£490	£527	£570	£615	£689	£707

- \blacktriangleright All bundles have a delivery time of 2 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

2 VELUX bundles

Extension bundle – perfect for kitchens

Kitchens see their fair share of steam and moisture, which is why our kitchen bundles feature roof windows made with moisture-resistant white polyurethane.





FLASHING – Marries the roof window to the roofing material. Suitable for either slate or tile roofs



INSTALLATION PRODUCTS – Ensures a well-insulated and weather-tight installation. The kit features an insulation collar, transverse drainage gutter and underfelt collar.



VELUX INTEGRA® WHITE POLYURETHANE ROOF WINDOW – Can be operated remotely at the touch of a button to open automatically. **TIP:** Electric roof windows are perfect for out-of-reach areas.



CENTRE-PIVOT WHITE POLYURETHANE ROOF WINDOW – Easy to open and quick to control with the top control bar. Comes with laminated glazing as standard for additional safety. **TIP:** Extra roof windows create the wow factor for a light, bright kitchen.



ELECTRIC PLEATED BLIND – This electric blind can be operated at the touch of a button.

Available in: White Beige

Choose from: White

,


VENETIAN BLIND – Stylish and made from aluminium for quick and easy cleaning.

		55 x 98	78 x 98	78 x 118	78 x 140	94 x 140	114 x 118
Code	Description	CK04	MK04	MK06	MK08	PK08	SK06
VELUX INTEGRA® elec	VELUX INTEGRA® electric roof window						
GGU SD0L11201	VELUX INTEGRA® electric maintenance free white polyurethane roof window with insulated flashing for slate and white electric pleated blind	£865	£907	£958	£1,011	£1,097	£1,118
GGU SD0L11202	VELUX INTEGRA® electric maintenance free white polyurethane roof window with insulated flashing for slate and beige electric pleated blind	£865	£907	£958	£1,011	£1,097	£1,118
GGU SD0W11201	GU SD0W11201 VELUX INTEGRA® electric maintenance free white polyurethane roof window with insulated flashing for tiles and white electric pleated blind		£907	£958	£1,011	£1,097	£1,118
GGU SD0W11202 VELUX INTEGRA® electric maintenance free white polyurethane roof window with insulated flashing for tiles and beige electric pleated blind		£865	£907	£958	£1,011	£1,097	£1,118
Manual centre-pivot re	pof window						
GGU SD0L11102	Centre-pivot maintenance free white polyurethane window with insulated flashing for slate and white venetian blind	£461	£505	£558	£613	£701	£724
GGU SD0W11102	Centre-pivot maintenance free white polyurethane window with insulated flashing for tiles and white venetian blind	£461	£505	£558	£613	£701	£724

- ▶ All bundles have a delivery time of 2 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Extension bundle – perfect for living and dining rooms

It's where you spend quality time, entertaining guests and relaxing – so make sure your living/dining space is a comfortable place to be. Installing several roof windows means you can make the most of the daylight during the day, while being able to close blinds at night ensures a cosy space for evenings in.





FLASHING – Marries the roof window to the roofing material. Suitable for either slate or tile roofs



INSTALLATION PRODUCTS – Ensures a well-insulated and weather-tight installation.

The kit features an insulation collar, transverse drainage gutter and underfelt collar.



VELUX INTEGRA® WHITE PAINTED ROOF WINDOW – Can be operated remotely at the touch of a button to open automatically. **TIP:** Make the most of the space by installing several roof windows for a light and airy living space and to increase the wow-factor.



CENTRE-PIVOT WHITE PAINTED ROOF WINDOW – Floods the room with daylight. Easy to open and quick to control with the top control bar. Comes with laminated glazing as standard for additional safety.



ELECTRIC PLEATED BLIND – Open and close your blinds at the touch of a button – ideal for out-of-reach areas.

White Beige

Choose from:

 $\label{eq:pleated-blind-stylish-blinds} \textbf{PLEATED BLIND}-Stylish blinds, perfect for roof windows within reach.$

Choose from: White Beige

		55 x 98	78 x 98	78 x 118	78 x 140	94 x 140	114 x 118
Code	Description	CK04	MK04	MK06	MK08	PK08	SK06
VELUX INTEGRA® elect	tric roof window						
GGL SD0L11201	VELUX INTEGRA® electric white painted roof window with insulated flashing for slate and white electric pleated blind	£807	£844	£887	£932	£1,006	£1,024
GGL SD0L11202	VELUX INTEGRA® electric white painted roof window with insulated flashing for slate and beige electric pleated blind	£807	£844	£887	£932	£1,006	£1,024
GGL SD0W11201	VELUX INTEGRA® electric white painted roof window with insulated flashing for tiles and white electric pleated blind	£807	£844	£887	£932	£1,006	£1,024
GGL SD0W11202	VELUX INTEGRA® electric white painted roof window with insulated flashing for tiles and beige electric pleated blind	£807	£844	£887	£932	£1,006	£1,024
Manual centre-pivot ro	of window						
GGL SD0L11103	Centre-pivot white painted roof window with insulated flashing for slate and white pleated blind	£383	£420	£463	£508	£582	£600
GGL SD0L11104	Centre-pivot white painted roof window with insulated flashing for slate and beige pleated blind	£383	£420	£463	£508	£582	£600
GGL SD0W11103	Centre-pivot white painted roof window with insulated flashing for tiles and white pleated blind	£383	£420	£463	£508	£582	£600
GGL SD0W11104	Centre-pivot white painted roof window with insulated flashing for tiles and beige pleated blind	£383	£420	£463	£508	£582	£600

- ▶ All bundles have a delivery time of 2 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

24 VELUX bundles



VELUX centre-pivot roof windows

External frame size	(nominal w x h) cm	55 x 78	55 x 98	55 x 118	78 x 98	66 x 118	78 x 118	78 x 140	134 x 98	94 x 140	114 x 118	94 x 160	134 x 140
Code	Glazing	CK02	CK04	CK06	MK04	FK06	MK06	MK08	UK04	PK08	SK06	PK10	UK08
GGU 0070 U-value 1.3 W/m²K	Laminated inner, toughened outer pane.	£292	£309	£322	£336	£359	£379	£420	£484	£490	£504	£517	£588
GGU 0060 U-value 1.3 W/m²K	Laminated inner, toughened outer pane. Easy-to-clean coating, enhanced noise reduction.	£377	£394	£407	£421	£444	£464	£505	£569	£575	£589	£602	£673
GGU 0066 U-value 1.0 W/m²K	Triple glazed. Laminated inner, toughened outer pane. Anti-dew* and easy-to-clean coating.	£457	£474	£487	£501	£524	£544	£585	£649	£655	£669	£682	£753
GGU 0062 U-value 0.81 W/m²K	Triple glazed. Laminated inner, toughened outer with anti-dew* coating. Further enhanced noise reduction.	£542	£559	£572	£586	£609	£629	£670	-	£740	£754	£767	-
GGU 0034 U-value 1.3 W/m²K	Obscure laminated inner, toughened outer pane.	£332	£349	£362	£376	£399	£419	£460	£524	£530	£544	£557	£628
GGU 0070Q U-value 1.3 W/m²K	Laminated inner, toughened outer pane. Enhanced security.	£392	£409	-	£436	£459	£479	£520	£584	£590	£604	£617	£688
White painted													
GGL 2070 U-value 1.3 W/m²K	Laminated inner, toughened outer pane.	£238	£251	£262	£273	£292	£308	£341	£393	£399	£410	£420	£478
GGL 2060 U-value 1.3 W/m²K	Laminated inner, toughened outer pane. Easy-to-clean coating, enhanced noise reduction.	£323	£336	£347	£358	£377	£393	£426	£478	£484	£495	£505	£563
GGL 2066 U-value 1.0 W/m²K	Triple glazed. Laminated inner, toughened outer pane. Anti-dew* and easy-to-clean coating.	£403	£416	£427	£438	£457	£473	£506	£558	£564	£575	£585	£643
GGL 2062 U-value 0.83 W/m²K	Triple glazed. Laminated inner, toughened outer with anti-dew* coating. Further enhanced noise reduction.	£488	£501	£512	£523	£542	£558	£591	-	£649	£660	£670	-
GGL 2070Q U-value 1.3 W/m²K	Laminated inner, toughened outer pane. Enhanced security.	£338	£351	-	£373	£392	£408	£441	£493	£499	£510	£520	£578
Pine													
GGL 3070 U-value 1.3 W/m²K	Laminated inner, toughened outer pane.	£238	£251	£262	£273	£292	£308	£341	£393	£399	£410	£420	£478

All roof windows have a delivery time of 2 days except '66' and '62' pane windows which are 7 days and '700' pane windows which are 11 days (white painted) and 16 days (white polyurethane).

Benefits of centre-pivot roof windows

Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Roof pitch



Suitable for roof

pitches between 15° and 90°.





Easy to open and quick to close with the top control bar.



Low installation allows for easier operation and better views.

See our product features at a glance on page 10

^{*}Anti-dew coating reduces number of hours external condensation is present.

VELUX

roof windows



VELUX INTEGRA® electric and solar centre-pivot roof windows



VELUX INTEGRA® solar powered													
White polyureth													
GGU 007030 U-value 1.3 W/m²K	Laminated inner, toughened outer pane.	£632	£649	£662	£676	£699	£719	£760	£824	£830	£844	£857	£928
GGU 006030 U-value 1.3 W/m²K	Laminated inner, toughened outer pane. Easy-to-clean coating, enhanced noise reduction.	£717	£734	£747	£761	£784	£804	£845	£909	£915	£929	£942	£1,013
GGU 006630 U-value 1.0 W/m²K	Triple glazed. Laminated inner, toughened outer pane. Anti-dew* and easy-to-clean coating.	£797	£814	£827	£841	£864	£884	£925	£989	£995	£1,009	£1,022	£1,093
White painted													
GGL 207030 U-value 1.3 W/m²K	Laminated inner, toughened outer pane.	£578	£591	£602	£613	£632	£648	£681	£733	£739	£750	£760	£818
GGL 206030 U-value 1.3 W/m²K	Laminated inner, toughened outer pane. Easy-to-clean coating, enhanced noise reduction.	£663	£676	£687	£698	£717	£733	£766	£818	£824	£835	£845	£903
GGL 206630 U-value 1.0 W/m²K	Triple glazed. Laminated inner, toughened outer pane. Anti-dow* and easy-to-clean coating	£743	£756	£767	£778	£797	£813	£846	£898	£904	£915	£925	£983

▶ All roof windows have a delivery time of 2 days except '66' pane windows and GGL 206030 which are 11 days.

Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Roof pitch



Suitable for roof pitches between 15° and 90°.

Operation



ELECTRIC

- Operate your roof windows with a convenient remote.
- Fully integrated motor which runs almost without a sound.



SOLAR POWERED

- All the same features as VELUX INTEGRA® electric roof windows, but powered by the sun.
- PV solar cell on external window frame requires exposure to sunlight.

BENEFITS

- Ideal for out-of-reach areas.
- VELUX INTEGRA® roof windows offer control at your fingertips and provide fresh air, better indoor comfort and home security.
- Rain sensors feature on all VELUX INTEGRA® roof windows, automatically closing in the event of rain.
- Works together with VELUX ACTIVE for a smarter way to achieve a healthier indoor climate.

^{*}Anti-dew coating reduces number of hours external condensation is present.



VELUX ACTIVE

VELUX ACTIVE works together with your VELUX INTEGRA® electric or solar roof windows, blinds and shutters, adjusting them automatically so your family enjoys a healthier indoor climate.



VELUX

roof windows

Sensor-based ventilation

Smart sensors monitor temperature, humidity and CO² levels, allowing VELUX ACTIVE to intuitively open and close your VELUX INTEGRA® products.





Safe and secure

Tap the departure switch on your way out of the house to close your VELUX INTEGRA® products. This will leave them in the secured ventilation position – for security and peace of mind.

Control from your smartphone

The VELUX ACTIVE app means you can operate your VELUX INTEGRA® products yourself from anywhere in the world putting you in complete control.



Voice activation option

Apple HomeKit® compatibility lets you use voice control to operate your VELUX INTEGRA® products for complete convenience.

Easy installation

Designed to be installed quickly and easily by homeowners – if you already have VELUX INTEGRA® products, the VELUX ACTIVE kit comes with everything you need to install the system yourself.

VELUX ACTIVE

Smart sensor-based operation of your VELUX roof windows, blinds and shutters.

NETATMO

The kit includes:

- VELUX ACTIVE indoor climate sensor
- VELUX ACTIVE departure switch
- VELUX ACTIVE gateway Interprets the information from the indoor climate sensors and instructs the VELUX INTEGRA® products to open or close.



Additional components:

Extra components can be purchased separately if you have more than one room with VELUX INTEGRA® products or would like a departure switch for each



VELUX ACTIVE indoor climate sensor KLA 300 EU



VELUX ACTIVE departure switch KLN 300 EU

Discover more at velux.co.uk/active


Code	Description	Price
VELUX ACT		
KIX 300	VELUX ACTIVE package	£183.33
KLA 300	VELUX ACTIVE indoor climate sensor	£73.33
KLN 300	VELUX ACTIVE departure switch	£35.83

Say the word: Apple HomeKit® compatibility lets you use voice control to operate your VELUX INTEGRA® products for the ultimate in convenience.









VELUX top-hung roof windows



- Sizes suitable for emergency escape requirements
- All roof windows have a delivery time of 2 days except GPU 0066 and GPU 0062 which are 7 days and GPL 2066 windows which are 11 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Roof pitch



Suitable for roof pitches between 15° and 55°. Also suitable for roof pitches between 55° and 75° with special springs – please specify when ordering.

Opening Options



45° OPENINGS GPU and GPL roof windows open to any position up to 45°.



EMERGENCY ESCAPE

Due to the unrestricted opening area, a large selection of roof windows are suitable for emergency escape purposes.



Benefits of top-hung roof windows



Enjoy panoramic, uninterrupted views and maximise the amount of natural daylight.



Rotates 180° for easy cleaning from the inside.



Convenient bottom operation – the perfect choice for loft conversions with windows in easy reach.

^{*}Anti-dew coating reduces number of hours external condensation is present.

VELUX conservation roof windows

For traditional buildings



When planning dictates that a window of traditional external appearance is required, conservation roof windows should be considered. All of our conservation roof windows have the same technical features of a VELUX roof window but in a traditional black conservation style.



Conservation packages include:

- roof windows with laminated glazing as standard for safety
- recessed flashings available for a more streamlined external appearance
- insulation collar and underfelt collar provided for a weathertight and energy efficient installation.

Black external profiles and glazing bar. In RAL colour 9005.

• Available in either centre-pivot

or top-hung.

- Recessed installation for slate and tiled roofs.
 Top-hung roof windows listed below
- are suitable for emergency escape.
 Other sizes and glazing options available contact us for further information.

Conservation roof windows

External frame size (nominal w x h) cm

External frame Size	tternai frame size (nominai w x n) cm				70 X 110	76 X 14U	154 X 90
Code	Description	CK04	CK06	FK06	MK06	MK08	UK04
Centre-pivot wh	ite painted						
GGL SD5N2 U-value 1.3 W/m²K	GGL 2570 roof window + EDN recessed flashing for slate up to 8mm thick (min 20° roof pitch)	£468	£486	£538	£566	£610	£710
GGL SD5P2 U-value 1.3 W/m²K	GGL 2570 roof window + EDP flashing for plain tiles up to 14mm thick (min 25° roof pitch)	£428	£445	£494	£519	£561	£655
GGL SD5W2 U-value 1.3 W/m²K	GGL 2570 roof window + EDW flashing for tiles up to 120mm in profile (min 15° roof pitch)	£428	£445	£494	£519	£561	£655
GGL SD5J2 U-value 1.3 W/m²K	$GGL2570roofwindow+EDJrecessedflashingfortilesupto90mminprofile(min20^\circroofpitch)$	£468	£486	£538	£566	£610	£710
Top-hung white	painted. For roof pitches of 55° - 75° , please specify special springs when orderin						
GPL SD5N2 U-value 1.3 W/m²K	GPL 2570 roof window + EDN recessed flashing for slate up to 8mm thick (min 20° roof pitch)	-	-	-	-	£740	-
GPL SD5P2 U-value 1.3 W/m²K	GPL 2570 roof window + EDP flashing for plain tiles up to 14mm thick (min 25° roof pitch)	-	-	-	-	£691	-
GPL SD5W2 U-value 1.3 W/m²K	GPL 2570 roof window + EDW flashing for tiles up to 120mm in profile (min 15° roof pitch)	-	-	-	-	£691	-
GPL SD5J2 U-value 1.3 W/m²K	GPL 2570 roof window + EDJ recessed flashing for tiles up to 90mm in profile (min 20° roof pitch)		-	-	-	£740	-

- \blacktriangleright All roof windows have a delivery time of 2 days.
- ▶ Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Optional glazing bars for standard VELUX roof windows



The requirements from conservation officers throughout the country differ and the black finish featured within our conservation roof window packages may not be required in your area.

Consult your local conservation officer and find out if you can create a traditional appearance by adding a glazing bar to a standard VELUX roof window with grey exterior. This will allow you to take advantage of all roof window styles and sizes available (except triple glazed roof windows).

Grey glazing bars are also available for standard VELUX roof windows

Recessed flashing




As well as the addition of a glazing bar, your local conservation officer may request that your roof window be installed deeper into the roof than can be achieved with a standard installation. To do this you should select a recessed flashing kit, which will provide a sleek, streamlined finish as less of the roof window protrudes above the roofline. Recessed flashings are also available with insulation and underfelt collars and are recommended for optimum energy efficiency.

Our full range of recessed flashings are available as part of our conservation roof window packages and help you comply with local conservation requirements.


To create your grey conservation package

- Select your preferred VELUX roof window. This includes white painted, white polyurethane, pine and all operating methods (pages 26-33).
- Choose a flashing kit suitable for your specific roof pitch and roofing material a recessed flashing kit is recommended (pages 58-59).
- Use VELUX installation products for optimum energy efficiency (pages 56-57).
- Add one or more conservation glazing bars in the corresponding size to your roof windows. We recommend the use of two glazing bars for our wider roof windows such as SK06, UK04 and UK08.
- Grey glazing bar to match grey exterior (nearest RAL 7043) finish of standard VELUX roof windows.



- ▶ Glazing bars are not available for -66 and -62 triple glazing variants.
- Prices above are for 1 glazing bar only.
- ► All glazing bars have a delivery time of 2 days.
- ▶ Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

34 VELUX conservation roof windows



VELUX CABRIO® balcony



Roof pitch

The VELUX CABRIO® balcony transforms from a roof window into a balcony in seconds. This is a great way to add real wow-factor to a property.

- The upper section is top-hung and opens outwards whilst the bottom section unfolds into a glazed balcony with side railings.
- Can be easily combined with additional top-hung and fixed sloping roof windows to increase the daylight and view.
- Made of high quality white painted natural pine.

- Two sizes available providing you with more space to enjoy the outdoors, indoors.
- Featuring triple glazing as standard which contributes to an energy efficient
- The glazing has a toughened outer and a laminated inner pane for additional safety.
- Double and triple units include EKY (100mm) support trimmers.
- Easy-to-clean coating on the toughened outer pane keeps the glazing cleaner for longer.
- Top-hung section rotates 180° and locks in to place for easy cleaning of the outer pane.
- Other combinations available contact us for further information.
- VELUX blinds are available for this product see veluxblindsdirect.co.uk

Packages include: Single VELUX CABRIO® balcony white painted roof window with optional one or two side units (GPL top-hung and GIL fixed element),									
Code Description	PK19	PK19	PK19	SK19	SK19	SK19			
External frame size (nominal w x h) cm	94 x 252	198 x 252	302 x 252	114 x 252	238 x 252	362 x 252			
VELUX CABRIO® balcony	V				The state of the s				

support trimmer(5).						
GDL SD0L001 U-value 1.2 W/m²K	VELUX CABRIO® balcony + flashings for slate up to 8mm thick.	£2,116	-	-	£2,234	-	-
GDL SD0W001 U-value 1.2 W/m²K	VELUX CABRIO® balcony + flashings for tiles up to 120mm in profile.	£2,116	-	-	£2,234	-	-
GDL SKOL222 U-value 1.2 W/m²K	$\label{eq:VELUX} VELUX CABRIO^{\circledast} balcony + 1 \times GPL \& 1 \times GIL.$ Flashings for slate up to 8mm thick.	-	£3,921	-	-	£4,198	-
GDL SKOW224 U-value 1.2 W/m²K	$\label{eq:VELUX} VELUXCABRIO^{\circledast}balcony+1xGPL\&1xGIL.$ Flashings for tiles up to 120mm in profile.	-	£3,921	-	-	£4,198	-
GDL SK0L322 U-value 1.2 W/m²K	VELUX CABRIO® balcony + 2 x GPL & 2 x GIL. Flashings for slate up to 8mm thick.	-	-	£5,705	-	-	£6,138
GDL SKOW322 U-value 1.2 W/m²K	VELUX CABRIO® balcony + 2 x GPL & 2 x GIL. Flashings for tiles up to 120mm in profile.	-	-	£5,705	-	-	£6,138

- All roof windows have a delivery time of 7 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

 ${}^*\!Anti\!-\!dew\,coating\,reduces\,number\,of\,hours\,external\,condensation\,is\,present.}$

Sloping and vertical combinations



Roof pitch





Combine sloping and vertical white painted or white polyurethane roof windows to expand your view and increase daylight. Ideal for one and a half storey properties.

Follow the steps to find the best solution for your room:

- 1. Decide on your combination single, twin or triple.
- 2. Select your white polyurethane or white painted roof windows in size MKO4, MK06 or MK08 (prices not included). Choose from:
- Centre-pivot see pages 26-27
- VELUX INTEGRA® see pages 28-29
- Top-hung see pages 32-33.
- 3. Select your bottom vertical element(s) size MK31 or MK35. The white painted vertical element is bottom-hung and opens inwards for added ventilation and cleaning. The white polyurethane element is fixed.
- 4. Select the appropriate flashing system for your roof window size, combination and roofing material.
- If selecting twin or triple combinations, we recommend the use of an EBY trimmer for added support and a harmonious internal finish.

Other combinations can be created contact us for further information.

/ertical	elements	

External frame size (r	ternal frame size (nominal w x h) cm				
Code	Glazing	MK31	MK35		
White polyurethan					
VIU 0070 U-value 1.3 W/m²K	Laminated inner, toughened outer pane.	£404	£437		
VIU 0060 U-value 1.3 W/m²K	Laminated inner, toughened outer pane. Easy-to-clean coating, enhanced noise reduction.	£489	£522		
VIU 0066 U-value 1.0 W/m²K	Triple glazed. Laminated inner, toughened outer pane. Anti-dew* and easy-to-clean coating.	£569	£602		
White painted – bo	ttom-hung opening inwards				
VFE 2070 U-value 1.3 W/m²K	Laminated inner, toughened outer pane.	£404	£437		
VFE 2060 U-value 1.3 W/m²K	Laminated inner, toughened outer pane. Easy-to-clean coating, enhanced noise reduction.	£489	£522		
VFE 2066 U-value 1.0 W/m²K	Triple glazed. Laminated inner, toughened outer pane. Anti-dew* and easy-to-clean coating.	£569	£602		

Anti-dew	coating	reduces	numbe	roti	nours	external	conder	nsation	is pre

Flashings

External frame size (nominal w x h) cm	78 x 98	78 x 118	78 x140
Code	Description	MK04	MK06	MK08
EFL 0012	Single installation, for slate up to 8mm thick.	£118	£124	£133
EFW 0012	Single installation, for tiles up to 120mm in profile.	£118	£124	£133
EFL 0022B	Twin installation, for slate up to 8mm thick.	£237	£249	£265
EFW 0022B	Twin installation, for tiles up to 120mm in profile.	£237	£249	£265
EFL 0032B	Triple installation, for slate up to 8mm thick.	£355	£373	£398
EFW 0032B Triple installation, for tiles up to 120mm in profile.		£355	£373	£398

Internal trimmer – white

Code	Description			
EBY W10 2100	18mm gap adjustable trimmer (x1 for Twin installation, x2 for Triple installation). White painted.	-	-	£386

- All roof windows, single flashing and trimmers have a delivery time of 7 days except VFE 2060 windows, VFE 2066, and twin and triple flashings
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Sloping and fixed combinations



Roof pitch



Multiple VELUX roof windows create gorgeous, light-filled rooms. By combining VELUX roof windows you can add great panoramic views and more natural light to give your home its own unique character. If the pitch of your roof continues to the floor, you can extend your VELUX roof window by installing an additional window element, GIU (maintenance-free white polyurethane) or GIL (white painted) below. These windows have a fixed sash that cannot be opened.

Follow the steps below to find the best solution for your room:

- 1. Decide on your combination.
- 2. Select your opening roof window(s) in sizes MK04, MK06, MK08, PK08 and PK10 (prices not included). Choose from:
- Centre-pivot see pages 26-27
- VELUX INTEGRA® see pages 28-29
- Top-hung see pages 32-33.
- 3. Select your bottom fixed element(s) sizes MK34 or PK34.
- 4. Select the appropriate flashing system for your roof window size and roofing material.

Other combinations can be created contact us for further information.

Sloped additional elements

External frame siz	External frame size (nominal w x h) cm							
Code	Glazing	MK34	PK34					
White polyureth								
For a maintenance-free white polyurethane finish additional window elements GIU can be installed below VELUX roof windows GGU and GPU.								
GIU 0070 U-value 1.3 W/m²K	Laminated inner, toughened outer pane.	£432	£498					
GIU 0060 U-value 1.3 W/m²K	Laminated inner, toughened outer pane. Easy-to-clean coating, enhanced noise reduction.	£517	£583					
GIU 0066 U-value 1.0 W/m²K	Triple glazed. Laminated inner, toughened outer pane. Anti-dew* and easy-to-clean coating.	£597	£663					

White painted – Fixed

below VELUX roof windows GGL and GPL.								
GIL 2070 U-value 1.3 W/m²K	Laminated inner, toughened outer pane.	£389	£449					
GIL 2060 U-value 1.3 W/m²K	$Laminated inner, toughened outer pane. \ Easy-to-clean coating, enhanced noise reduction. \\$	£474	£534					
GIL 2066	Triple glazed. Laminated inner, toughened outer pane.	£554	£614					

*Anti-dew coating reduces number of hours external condensation is present.


Flashings - single

				MK34	PK34	PK34
External frame si	External frame size (nominal w x h) cm			78 x 232	94 x 232	94 x 252
Code	Description	MK04	MK06	MK08	PK08	PK10
EDL S0121	Single installation for slate up to 8mm thick.	£102	£105	£109	£117	£120
EDW S0121	Single installation for tiles up to 120mm in profile.	£102	£105	£109	£117	£120

- ▶ All roof windows and flashings have a delivery time of 7 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Sloping, vertical and fixed combinations

39



VELUX curved glass rooflight









The stylish solution

The VELUX curved glass rooflight is the ideal choice for homeowners with 0-15° roof pitches.

The curved glass top unit consists of 6mm scratch-free glazing with a glass-to-edge design, meaning a clear external pane is left for a better view.

The innovative and unique design of the curved glass top cover provides optimal functionality and creates a simple and modern look inside and out. The flat roof window consists of a high insulation, PVC-construction and an integrated 2-layer low-energy pane. The electrically vented option comes with VELUX INTEGRA® automated operation.

The VELUX curved glass rooflight features excellent noise reduction in case of rain, hail or other exterior disturbances. Blinds are available for daylight control and an awning blind for heat protection.



Roof pitch



- Elegant solution for externally visible installations.
- Glass-to-edge construction allows for a clear, uninterrupted view.
- Low maintenance due to curved glass allowing rain to run off.
- 3-layer glass construction ensures optimal energy performance.
- Scratch-free glass prolongs the unit's expected lifetime.
- Hassle-free installation in 0-15° roof pitch.

For pricing see page 43

VELUX flat glass rooflight



Roof pitch



Special consideration for applications below roof pitch 5°:

If installed below 5°, there is an increased risk of water, dirt and debris standing on the glass, which in some cases, over time can cause slight discoloration of the glass. Installation of flat glass below 5° does not affect the lifetime and quality of the product compared to installation at 5°.



VELUX flat glass rooflights are a stylish addition to our flat roof window range – featuring an attractive eye-catching glass pane, making it an alternative to the classic domed VELUX flat rooflight.

Convenience and high performance

As well as an innovative design, the flat glass rooflight features all of the outstanding specifications you'd expect from VELUX.

- It requires minimum maintenance as it comprises a maintenance-free PVC framework and lacquered aluminium cladding.
- It is highly energy efficient. Our highperformance insulation is integrated into the frame to give the best possible protection against heat loss.



Fixed rooflight

The VELUX fixed flat glass rooflight can transform any space and is ideal where there is a need for bringing in a great deal of natural daylight without adding extra ventilation. The double glazed unit has a laminated inner pane for additional safety.



Electrically operated rooflight

The VELUX vented flat glass rooflight provides ventilation and fresh air through the roof, and it can be operated automatically with the VELUX INTEGRA® remote control.

VELUX curved and flat glass rooflight

Options and pricing

Roof pitch





For curved glass For flat glass

1. CHOOSE YOUR TOP COVER







CURVED GLASS (ISD 1093)

- · Curved glazing and glass-to-edge design ensure uninterrupted drainage
- Curved shape ensures a clearer view to the sky
- Up to 6mm scratch-free glazing
- Installation in 0-15° roof pitch
- Recommended option for visible installations

FLAT GLASS (ISD 2093)

- Flat glass design fits the roof line
- 4mm scratch-free glazing
- Installation in 2-15° roof pitch




Make your electric roof windows smart

Find out more on page 30 or at velux.co.uk/active



2. NOW CHOOSE A BASE UNIT





- High-insulated PVC sash construction
- 2-layer low-energy pane
- Laminated pane on the inside
- Openable construction

closing during rain


• VELUX INTEGRA® convenient operation • Integrated rain sensor for automatic



FIXED BASE UNIT (CFP)

- · High-insulated PVC sash construction
- 2-layer low-energy pane
- Laminated pane on the inside

Curved and flat glass rooflight



Code	Description	060060	060090	080080	090090	100100	090120	120120	100150	
CHOOSE A TOP COVER										
ISD 1093	Curved glass top cover.	£368	£394	£415	£477	£519	£550	£633	£664	
ISD 2093	Flat glass top cover.	£300	£322	£338	£389	£423	£449	£516	£542	
NOW CHOOSE	NOW CHOOSE A BASE, EITHER FIXED OR VELUX INTEGRA®									
Fixed	Fixed									

Fixed									
CFP 0073QV U-value 1.2 W/m²K	Fixed flat roof window base with double glazed insulating glass unit featuring laminated inner pane for safety.	£277	£296	£312	£359	£390	£413	£476	£499
VELUX INTEGRA									
CVP 0673QV U-value 1.2 W/m²K	Electrically operated flat roof window base with double glazed insulating glass unit featuring laminated inner pane for safety.	£677	£696	£712	£759	£790	£813	£876	£899
ZCE 0015	Extension kerb 150mm.	£147	£154	£158	£173	£188	£192	£212	£214
ZZZ 210	Frame fixing kit for roof material.	£34	£35	£36	£40	£43	£44	£49	£49

- All roof windows have a delivery time of 2 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Flat roof windows

VELUX flat roof domes

Options and pricing

Roof pitch



1. CHOOSE YOUR DOME







CLEAR DOME

- Clear view to the outside
- Provides maximum daylight
- Scratch resistant

OPAQUE DOME

- Hazed transparency for full privacy
- Provides good levels of daylight
- Scratch resistant

2. NOW CHOOSE A BASE UNIT





100 x 100

£44

£49

£49

£57



ELECTRICALLY VENTED BASE UNIT (CVP)

- High-insulated PVC sash construction
- 2-layer low-energy pane
- Laminated pane on the inside
- Openable construction
- VELUX INTEGRA® convenient operation
- Integrated rain sensor for automatic closing during rain

FIXED BASE UNIT (CFP)

- High-insulated PVC sash construction
- 2-layer low-energy pane

90 x 120 120 x 120 100 x 150 150 x 150

Laminated pane

New

Flat roof domes

Make your electric roof

windows smart

Find out more on

velux.co.uk/active

page 30 or at

External frame size including kerb (nomin Structural openings (nominal w x h) cm

Description

	060060	060
inal w x h) cm	78 x 78 60 x 60	78 x 60 x

60 x 60	60 x 90	80 x 80	90 x 90	100 x 100	90 x 120	120 x 120	100 x 150	150 x 150
060060	060090	080080	090090	100100	090120	120120	100150	150150
£183	£196	£206	£237	£258	£273	£315	£330	£415

ooue	Besonption	000000	000070	00000	0,00,0	100100	0,0120	120120	100150	130130	
CHOOSE A TOP	COVER										
ISD 0010	Clear polycarbonate dome.	£183	£196	£206	£237	£258	£273	£315	£330	£415	
ISD 0110	Opaque polycarbonate dome.	£183	£196	£206	£237	£258	£273	£315	£330	£415	
NOW OUR OF A	NOW ALLOOF A DAGE FITTIER FIVER ON VELLIN INTEGRAS										

Frame fixing kit for roof material.

Fixed										
CFP 0073QV U-value 1.2 W/m²K	Fixed flat roof window base with double glazed insulating glass unit featuring laminated inner pane for safety.	£277	£296	£312	£359	£390	£413	£476	£499	£628
VELUX INTEGRA										
CVP 0673QV U-value 1.2 W/m²K	Electrically operated flat roof window base with double glazed insulating glass unit featuring laminated inner pane for safety.	£677	£696	£712	£759	£790	£813	£876	£899	£1,028
Accessories										
ZCE 0015	Extension kerb 150mm.	£147	£154	£158	£173	£188	£192	£212	£214	£248

£35

£36

£40

£43

£34

- All roof windows have a delivery time of 2 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

VELUX flat roof domes – access and emergency escape

Options and pricing

- Manually operated flat roof exit solution.
- · Double-glazed roof window with polycarbonate cover.
- Opening angle of approximately 60°.
- Available in three sizes 100100, 090120 and 120120.
- · Clear or obscure polycarbonate cover.
- Excellent insulating value and sound reduction.
- Note: this product is not compatible with VELUX flat roof blinds FMG. FSK, FMK and MSG.

Roof pitch







Access and emergency escape External frame size including kerb (nominal w x h) cm

	me size including kerb (nominal w x h) cm penings (nominal w x h) cm	118 x 118 100 x 100	108 x 138 90 x 120	138 x 138 120 x 120
Code	Description	100100	090120	120120
Top cover				

Code	Description	100100	090120	120120
ISD 0010	Clear polycarbonate dome.	£258	£273	£315
ISD 0110	Opaque polycarbonate dome.	£258	£273	£315
Access and en	nergency escape			
CXP 0473Q	Manually operated flat roof window base for access or escape with double glazed insulating glass unit featuring	£780	£827	£952

▶ All roof windows have a delivery time of 2 days.

Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).


VELUX flat roof kerb

U-value 1.5 W/m²K laminated inner pane for safety. Compatible with polycarbonate dome top covers only.





Flat roof kerb

All the benefits of a VELUX roof window in a flat roof



£827





- Roofing material is dressed up the sides of the kerb, then overlapped with the aluminium
- · Refer to pages 26-33 for info on roof windows.
- · Roof window not included.










Flat roof kerb External window frame size (nominal w x h) cm 78 y 118 114 v 118 134 x 140 55 x 78 55 x 98 78 y 98 78 v 140 Structural openings (nominal w x h) cm 60 x 100 60 x 120 80 x 120 80 x 140 80 x 165 115 x 140 135 x 165 CK04 MK04 MK08 SK06 UK08 Code Description CK02 MK06 Insulated timber kerb for installation of VELUX ECX 0000T £257 £263 £310 £355 £366 £419

- ► All roof windows and flat roof kerbs have a delivery time of 2 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Flat roof windows

ZZZ 210



VELUX Modular Skylights

Open up larger roof expanses





For further inspiration visit velux.co.uk/vmsdomestic

Why VELUX Modular Skylights?

VELUX Modular Skylights are specially designed to bring more natural light into modern, flat roof homes and extensions. Modularity allows you to design with daylight over larger roof expanses, with an end result that blends more with the surroundings.

Unique design

Developed in collaboration with renowned architects Foster + Partners, VELUX Modular Skylights offer a slim profile design which is great for modern homes that need to make most of the daylight. Electrics and motors within vented modules are concealed, creating a simple and refined look, inside and out.


Light up the rooms in your home

The kitchen is the heart of the home, and the range of activities we enjoy there means that the lighting must meet everyone's needs – whilst also keeping the room looking good, morning, noon and night.

With VELUX Modular Skylights, the light enters directly from above, right into the centre of your room. This is a much stronger source of illumination than limited light coming from your vertical windows.







VELUX sun tunnels

Natural daylight where you never thought it could be achieved. Ideal for windowless bathrooms, hallways and cupboards. Our sun tunnels feature a number of innovative features that improve performance and make installation even simpler than before.

Choosing your sun tunnel

- We recommend rigid sun tunnels for maximum light.
- Recommended tunnel length for a rigid sun tunnel is 0.9-6.0m.
- Recommended tunnel length for flexible sun tunnel 0.4m-1.5m (pitched roof) and 0.2-0.9m (flat roof) in cases where an obstacle may prevent the use of a rigid tunnel.

Pitched roof sun tunnels

- Exterior flat glass window appearance.
- Easy-to-clean coating keeps glass cleaner for longer.
- Easy to install with integral flashing.
- Double layer diffuser with Edge-Glow technology increases the spread of light internally.
- Can be used for night time lighting with an optional low energy light kit.

Flat roof sun tunnels

- Available in 14" flexible tunnels.
- White PVC kerb with clear polycarbonate dome.





Roof pitch




Pitched roof sun tunnel



Flat roof sun tunnel



Tunnel diameter 10" / 25cm



14" / 35cm

(60 x 60 for TCF)

Sun tunnels

External frame size (nominal w x h) cm

Code	Description	10"	14"
Rigid sun tunnels			
TWR 0K10 2010	10" diameter rigid tunnel for tiles up to 120mm in profile.	£280	-
TLR 0K10 2010	10" diameter rigid tunnel for slate up to 8mm thick.	£280	-
TWR 0K14 2010	14" diameter rigid tunnel for tiles up to 120mm in profile.	-	£322
TLR 0K14 2010	14" diameter rigid tunnel for slate up to 8mm thick.	-	£322
Flexible sun tunnels			
TWF 0K14 2010	$14^{\prime\prime}$ diameter flexible tunnel for tiles up to 120mm in profile.	-	£282
TLF 0K14 2010	14" diameter flexible tunnel for slate up to 8mm thick.	-	£282
Flat roof sun tunnels			
TCF 0K14 1010	$14 \hbox{\ensuremath{$^{\prime\prime}$ diameter flat roof flexible tunnel with polycarbonate cover.}} \\$	-	£338
Accessories			
ZTR 0K10 0062	600 mm extension section for 10 "rigid diameter sun tunnel.	£60	-
ZTR 0K14 0062	600mm extension section for 14" rigid diameter sun tunnel.	-	£60
ZTR 0K14 0124	1,200mm extension section for 14" rigid diameter sun tunnel.	-	£116
ZTL 014	$Low-energy \ light \ kit \ for \ 10" \ and \ 14", fits \ inside \ tunnel, requires \ mains \ connection. \ Bulb \ supplied.$	-	£77

- All sun tunnels and accessories have a delivery time of 2 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Smoke ventilation system



Smoke ventilation system

 External frame size (nominal w x h) cm
 114×118
 134×140

 Code
 Description
 SK06
 UK08

Packages include: Single electrically operated GGU white polyurethane roof window with laminated inner pane for additional safety, 1 smoke sensor, 1 break glass point, 1 wall control (KFX 210) and suitable flashing. Additional smoke sensors and break glass units can be purchased separately.

GGU SDOL140 U-value 1.3 W/m²K	GGU0070roofwindow + flashingsforslateupto8mmthick.	£1,624	£1,719	
GGU SD0W140 U-value 1.3 W/m²K	GGU 0070 roof window + flashings for tiles up to 120mm in profile.	£1,624	£1,719	
KFD 0000	Wind deflector (for compliance to aerodynamic smoke ventilation requirements).	£481	£542	

Roof pitch

0°-15°

- ▶ All roof windows have a delivery time of 2 days except KFD 0000 which are 7 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).



Flat roof smoke ventilation system

Innovative solution for a flat roof where smoke ventilation is required. Available for $0.88m^2$ (100x100cm) or $1.30m^2$ (120x120cm) of smoke-free ventilation area.

- Double-glazed window with protective polycarbonate cover.
- AA fire rated.
- Tested and certified to EN ISO 12101-2.
- Smoke sensors, control systems and break glass units to be purchased separately.

Roof pitch



Available for 1m² (SK06 size) or 1.5m² (UK08 size) of smoke-free ventilation area.

- Maintenance free, white polyurethane, centre-pivot roof window.
- For geometric smoke ventilation our systems are tested and certified to EN ISO 12101-2 for roof pitches between 15-90°.
- For aerodynamic smoke ventilation our systems are tested and certified to EN ISO 12101-2 for roof pitches between 15-60°.
- Comes with laminated inner pane for additional safety.
- System can be upgraded to comply with aerodynamic smoke ventilation requirements by the inclusion of the optional KFD external wind deflector.
- Other sizes available, contact us for further information.

When ordering your flat roof window please ensure you order a base unit (CSP) and compatible

Flat roof smoke ventilation

	ze (nominal w x h) cm g size (nominal w x h) cm	118 x 118 100 x 100	138 x 138 120 x 120	
Code	Description	100100	120120	
CSP 1073Q	Smoke vent base. Compatible with polycarbonate dome top covers only.	£1,560	£1,903	
ISD 0010	Clear polycarbonate dome.	£258	£315	
ISD 0110	Obscure polycarbonate dome.	£258	£315	
Accessories				
KFC 210	Control system for operation of 4 pitched roof windows or 1 flat roof window.	-	-	£599
KFC 220	Control system for operation of 8 pitched roof windows or 2 flat roof windows.	-	-	£775
KFA 100	Smoke sensor.	-	-	£74
KFK 100	Break glass unit.	-	-	£74

- All roof windows have a delivery time of 2 days.
- ▶ Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Rooflights for uninhabited spaces



Roof pitch



Rooflights

- Frame and integrated flashing made of maintenance-free polyurethane.
- Operated using a handle with three ventilation positions.
- Extruded aluminium sash which can be hinged on both sides, opening to an angle of 90°.
- Opening restrictor which engages at 90° only.
- Black internal and external finish.





Uninhabited spaces

Our rooflights are designed in such a way that you have the opportunity to bring light into uninhabited spaces. It is not advisable to use these rooflights in habitable rooms because of their thermal performance.

Rooflights for uninhabited spaces

External frame size ((nominal w x h) cm	54 x 83	46 x 61
Code	Description		
GVT 103 0059Z U-value 3.1 W/m²K	Side-hung outward-opening rooflight.	£188	-
GVK 0000Z U-value 5.1 W/m²K	Side-hung outward-opening rooflight.	-	£138

- ▶ All rooflights have a delivery time of 7 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).



Replacing existing roof windows

It's time for a change. Let in more daylight, create more comfort and increase energy efficiency.

Think bigger

Replacing a roof window is the perfect opportunity to bring even more light in. You'd be surprised how much brighter a room can become if you make the roof window even slightly bigger. Or that by adding a second roof window to the one you are replacing, you get twice the daylight.

We have provided the same range of roof window sizes for the last 40 years, so it is usually very easy to find a direct size match.

- Minimal disruption as roof windows are replaced in the existing aperture.
- Replacement installation can typically be carried out in a day.
- · Work can usually be carried out from the inside.



Always improving

We continuously work towards improving our products and energy efficiency.

- Improved thermal performance and sound reduction for greater comfort.
- More attractive design and better integration into the roof.
- · Larger glazing areas allowing more daylight in.
- · Improved air tightness and insulation around the roof window due to insulation collar.
- Upgrade to a white finish or VELUX INTEGRA® electric or solar remote operation.
- VELUX INTEGRA® solar powered roof windows are ideal for replacing older roof windows as no wiring is required.

Save time and money with VELUX replacement flashings

EL and EW single replacement flashings are essential for replacing older VELUX roof windows manufactured before April 2001 with a current roof window while maintaining the original installation level of the roof window.


This allows old roof windows to be replaced without disturbing the interior finish of the room, saving you a lot of work. If you were to use a standard flashing you would need to re-do the internal lining around the roof window.

Replacen	nent roof window flashings	55 x 70	55 x 78	55 x 98	78 x 98	66 x 118	78 x 118	78 x 140	134 x 98	94 × 140	114 x 118	94 x 160	13/1 v 1/
Code	Description	CK01	CK02	CK04			MK06			PK08		PK10	UKOS
	single roof windows installed before April ow size to be replaced shown in brackets.)	(101) (9)	(102)	(104)	(304)	(206)	(306) (14)	(308)	(804)	(408)	(606)	(410)	(808)
EL 6000	For slate up to 8mm thick. Includes insulation collar.	£89	£90	(6) £93	£104	£104	£108	(2) £115	£131	£125	(4) £125	(3) £130	(8) £141
EW 6000	For tiles up to 120mm thick. Includes insulation collar.	£89	£90	£93	£104	£104	£108	£115	£131	£125	£125	£130	£141
EL 0000	For slate up to 8mm thick.	£60	£60	£62	£70	£70	£73	£78	£92	£87	£86	£90	£99
EW 0000	For tiles up to 120mm thick.	£60	£60	£62	£70	£70	£73	£78	£92	£87	£86	£90	£99
ELX 0000	Adaptor flashing for combinations. Also for use in conjunction with FDL & FDW.	£75	£75	£77	£87	£87	£91	£97	£114	£108	£107	£112	£123

- ▶ EL 0000 and EW 0000 have a delivery time of 2 days.
- All other replacement flashings have a delivery time of 7 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Upgrading existing roof windows

Improve the functionality of existing roof windows with automated solar operation.



Upgrade manual roof windows to VELUX INTEGRA® solar powered operation.

Ideal for out-of-reach areas.

Opening operation



SOLAR POWERED

- All the same features as VELUX INTEGRA® (page 28) electric roof windows, but powered
- PV solar cell on external window frame requires direct exposure to sunlight.
- No need to plug into a power supply, making installation even quicker, easier and no need for redecoration.

For a smarter, healthier home



You can choose VELUX ACTIVE to work alongside your VELUX INTEGRA® products. Smart sensors measure temperature, CO² and humidity levels, then the system reacts to operate your VELUX INTEGRA® products - adjusting them automatically to provide the right level of ventilation. VELUX ACTIVE is the smarter way to achieve a healthier indoor climate.

Find out more on pages 30-31 and watch the film at velux.co.uk/active



Code	Description	
KSX 100	Conversion kit to upgrade to full VELUX INTEGRA® solar powered functionality of GGU or GGL centre-pivot roof windows manufactured between April 1986 and January 2014 (includes rain sensor). Not compatible with M27, P25 and 425.	£230
KSX 100K	Conversion kit to upgrade to full VELUX INTEGRA® solar powered functionality of GGU or GGL centre-pivot roof windows manufactured after February 2014 (includes rain sensor). Not compatible with CKO1, CK02, MK27, PK25 and SK01.	£230

▶ All conversion kits have a delivery time of 2 days.

Upgrading glazing

Advances in pane technology allow the upgrading of existing glazing units to provide better heat and sound insulation properties. All panes are AA fire rated.



Turn your dream of a nice, peaceful sleep into a reality, reduce traffic noise in your home, and increase energy efficiency simply with an upgrade to your glazing.

> For roof windows manufactured before April 2001 contact our customer support team at 01592778225 to enquire.

For roof windows manufactured after April 2001		55 x 78	55 x 98	55 x 118	78 x 98	66×118	78 x 118	78 x 140	134 x 98	94 x 140	114 x 118	94 x 160	134 x 14
Code	Glazing	C02	C04	C06	M04	F06	M06	M08	U04	P08	S06	P10	U08
IPL 0034 U-value 1.0 W/m²K	Obscure laminated inner, toughened outer pane.	£100	£102	-	£114	-	-	£143	-	-	£168	-	-
IPL 0073 U-value 1.0 W/m²K	Laminated inner, toughened outer pane.	£76	£77	£83	£86	£93	£100	£108	£126	£153	£127	£155	£194
IPL 0060 U-value 1.0 W/m²K	Laminated inner, toughened outer pane. Easy-to-clean coating, enhanced noise reduction.	£127	£130	-	£144	£156	£168	£182	£211	£257	£214	£260	£327
For roof windo after February	ws manufactured 2014	55 x 78	55 x 98	55 x 118	78 x 98	66 x 118	78 x 118	78 x 140	134 x 98	94 x 140	114 x 118	94 x 160	134 x 14
Code	Glazing	CK02	CK04	CK06	MK04	FK06	MK06	MK08	UK04	PK08	SK06	PK10	UK08
IPL 0034 U-value 1.0 W/m²K	Obscure laminated inner, toughened outer pane.	£100	£102	£109	£114	£123	£132	£143	£166	£202	£168	£204	£257
IPL 0070 U-value 1.0 W/m²K	Laminated inner, toughened outer pane.	£76	£77	£83	£86	£93	£100	£108	£126	£153	£129	£155	£194
IPL 0060 U-value 1.0 W/m²K	Laminated inner, toughened outer pane. Easy-to-clean coating, enhanced noise reduction.	£127	£130	£139	£144	£156	£168	£182	£211	£257	£214	£260	£327

- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).
- ▶ All replacement roof window panes have a delivery time of 7 days, except IPL 0034 manufactured after April 2001 which is 10 days.

Replacing and upgrading

Installation products

Building regulations relating to insulation and air-tightness of roof window installations have become more stringent. We have not only developed a range of installation products to help make it quick and easy for you to be compliant, but the range also offers increased energy efficiency and a safe installation.



Vapour barrier – BBX

- Helps prevent condensation from forming in the roof construction.
- Complete vapour barrier collar, fully welded in all corners.
- A fully welded rubber gasket with a double pressure seal guarantees speedy installation and a vapour and air tight solution.
- Reinforced corners for extra security against perforation.
- VELUX installation tool helps fit the collar in a matter of minutes.



Insulation collar – BDX

- Insulates around the roof window frame, reducing heat loss and eliminating cold bridges.
- Makes insulating and installing the roof window a simple process.
- Supplied with BFX underfelt collar.
- Made to all standard roof window sizes.
- · Click fittings ensure fast and accurate assembly.



Roof window

- The performance of your selected VELUX roof window is optimised by the use of installation products.
- $\bullet \quad \text{All VELUX roof windows are compatible with VELUX installation products}.$
- Simply select your desired size, style and glazing option.



Underfelt collar – BFX

- Ensures a weather-tight seal between the roof window and the roof.
- Can also be purchased separately from the insulation collar (BDX).
- Pleated material ensures a flexible and tight seal to the underfelt of the roof, whatever its construction.
- Made from diffusion open material to minimise risk of condensation.
- Comes with transverse drainage gutter to lead water away from the head of the roof window if a tile or slate is broken above the window.
- Welded corners ensure a watertight and simple installation.



Flashing


- Marries the roof window to the roofing material and ensures a weather-tight seal.
- Standard VELUX flashings are compatible with VELUX installation products.

For use of installation products with recessed flashings, see packages on page 59.




▶ All installation products have a delivery time of 2 days.

Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).



Flashings

We provide a range of flashing options to suit your roofing material. The information below will help you to select the most appropriate flashings for your installation.



This image is for illustration purposes only. Colour not a true representation.

Opening sizes depend on the flashings used. Instructions available online.

Compatibility

To find out more about the compatibility of roofing materials and flashings, and to learn more about different installations (such as thatch and interlocking slate tile), please go to velux.co.uk/flashings



- · Recessed flashings for installing roof windows into slate up to 8mm thick.
- EDN 2000 Includes BDX 2000F insulation package as standard.
- · Not for interlocking slate.



- Recessed flashings for installing roof windows into flat or profiled roofing material up to 90mm in profile.
- EDJ 2000 Includes BDX 2000F insulation package as standard.

EDN, EDJ, EDL and EDW 2000 variants come with installation products included.



- Flashings for installing roof windows into slate up to 8mm thick.
- Not for interlocking slate. See EDW for details.



- Flashings for installing roof windows into flat or profiled roofing material up to 120mm in profile.
- · Also for interlocking slate, thatch and profiled sheeting.
- · Our EDW flashing suits virtually every installation and supersedes EDZ as our standard tile flashing.



- Flashings for installing roof windows nto plain tiles (max length 300mm).
- · Maximum thickness of 14mm.

Recessed and standard flashings











Featured: EDJ recessed tile installation.

Recessed flashings

Recessed flashings provide a sleek and streamlined finish as the roof window is installed deeper into the roof structure (see image above), meaning that less of the roof window protrudes above the roofline. We recommend BDX insulation collar and BFX underfelt collar, included in EDN and EDJ 2000, for optimum energy efficiency.

Recessed installation height – install the brackets at the sides of the roof window frame, at the blue line level.

Featured: EDW standard tile installation.

Standard roof window flashings

We provide a range of flashing options to suit your roofing material. The table below will help you to select the most appropriate flashings.

Standard installation height – install the brackets at the top and the bottom of the window frame, at the red line level.

Recessed flashings External frame size (nominal w x h) cm Description CK02 CK04 CK06 MK04 FK06 MK06 MK08 UK04 PK08 SK06 PK10 UK08 Recessed flashings including installation products (BDX 2000F) For recessed installation in slate up to 8mm thick. Roof pitch 20°-90°. EDN 2000 £112 £116 £123 £129 £129 £135 £142 £160 £155 £154 £160 £173 For recessed installation in tiles up to 90mm in profile. Roof pitch 20°-90°. EDJ 2000 £112 £116 £121 £129 £129 £135 £142 £160 £155 £154 £160 £173 Recessed flashings not including installation products For recessed installation in slate up to 8mm thick. Roof pitch 20°-90°. EDN 0000 £81 £90 £106 £101 £100 £104 £114 For recessed installation in tiles up to 90mm in profile. Roof pitch 20°-90°. EDJ 0000 £70 £72 £75 £81 £81 £85 £90 £106 £101 £100 £104 £114

Standard flashings

Code	Description	CK02	CK04	СК06	MK04	FK06	MK06	MK08	UK04	PK08	SK06	PK10	UK08
Standard flashings including installation products (BDX 2000)													
EDL 2000	For slate up to 8mm thick. Roof pitch 15°-90°.	£79	£81	£86	£90	£90	£94	£100	£114	£108	£109	£113	£123
EDW 2000	For tiles up to 120mm in profile. Roof pitch 15°-90°.	£79	£81	£86	£90	£90	£94	£100	£114	£108	£109	£113	£123
Standard fla	shings not including installatio	on product	s										
EDL 0000	For slate up to 8mm thick. Roof pitch 15°-90°.	£53	£54	£57	£61	£61	£64	£68	£81	£76	£76	£79	£87
EDW 0000	For tiles up to 120mm in profile. Roof pitch 15°-90°.	£53	£54	£57	£61	£61	£64	£68	£81	£76	£76	£79	£87
EDP 0000	For plain tiles up to 14mm thick. Roof pitch 25°-90°.	£53	£54	£57	£61	£61	£64	£68	£81	£76	£76	£79	£87

- ▶ All flashings have a delivery time of 2 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).
- Flashing colour NCS: S 7500-N. (Nearest RAL: 7043). Flashings also available in titanium zinc, copper and a wide range of colours to match the roof window finish. See twin and combination flashings on page 60.

Flashings

Twin and combination flashings

Opening sizes depend on the flashings used. Instructions available online.











TRIPLE 100MM GAP

QUATTRO 100MM GAP



External frame size (non	ninal w x h) cm	55 x 78	55 x 98	55 x 118	78 x 98	66 x 118	78 x 118	78 x 140	134 x 98	94 x 140	114 x 118	94 x 160	134 x 14
Code	Description	CK02	CK04	CK06	MK04	FK06	MK06	MK08	UK04	PK08	SK06	PK10	UKO
EKN 0021E Coupled Recessed	Side by side with 100mm gap for slate up to 8mm thick.	£200	£204	£214	£230	£230	£240	£256	£302	£286	£284	£296	£32
EKJ 0021E Coupled Recessed	Side by side with 100mm gap for tiles with max. profile 90mm.	£200	£204	£214	£230	£230	£240	£256	£302	£286	£284	£296	£32
Code	Description	CK02	CK04	CK06	MK04	FK06	MK06	MK08	UK04	PK08	SK06	PK10	UKO
EBL 0021B Twin	Side by side with 18mm gap for slate up to 8mm thick.	£133	£136	£142	£153	£153	£160	£171	£201	£191	£189	£197	£21
EBW 0021B Twin	Side by side with 18mm gap for tiles with a max. profile 120mm.	£133	£136	£142	£153	£153	£160	£171	£201	£191	£189	£197	£21
EBP 0021B Twin	Side by side with 18mm gap for plain tiles up to 14mm thick.	£133	£136	£142	£153	£153	£160	£171	£201	£191	£189	£197	£21
EBL 0021C Twin	Side by side with 50mm gap for slate up to 8mm thick.	£133	£136	£142	-	-	-	-	-	-	-	-	-
EBW 0021C Twin	Side by side with 50mm gap for tiles with a max. profile 120mm.	£133	£136	£142	-	-	-	-	-	-	-	-	-
EKL 0021E Coupled	Side by side with 100mm gap for slate up to 8mm thick.	£122	£125	£130	£140	£140	£147	£157	£185	£175	£174	£181	£19
EKW 0021E Coupled	Side by side with 100mm gap for tiles with a max. profile 120mm.	£122	£125	£130	£140	£140	£147	£157	£185	£175	£174	£181	£19
EKP 0021E Coupled	Side by side with 100mm gap for plain tiles up to 14mm thick.	£122	£125	£130	£140	£140	£147	£157	£185	£175	£174	£181	£19
EKL S0122 Duo	Above/below with 100mm gap for slate up to 8mm thick.	£132	£135	£142	£152	£152	£160	£170	£201	£190	£189	£197	£21
EKW S0122 Duo	Above/below with 100mm gap for tiles with a max. profile 120mm.	£132	£135	£142	£152	£152	£160	£170	£201	£190	£189	£197	£21
EKL S0312 Triple	Side by side with 100mm gap for slate up to 8mm thick.	£183	£187	£195	£210	£210	£221	£236	£278	£263	£261	£271	£29
EKW S0312 Triple	Side by side with 100mm gap for tiles with a max. profile 120mm.	£183	£187	£195	£210	£210	£221	£236	£278	£263	£261	£271	£29
EKL S0222 Quattro	Group of 4 with 100mm gap for slate up to 8mm thick.	£280	£287	£300	£322	£322	£339	£361	£425	£403	£400	£417	£45
EKW S0222 Quattro	Group of 4 with 100mm gap for tiles with a max. profile 120mm.	£280	£287	£300	£322	£322	£339	£361	£425	£403	£400	£417	£4!

- ▶ Delivery time for all coupled flashings is 2 days except coupled recessed flashings which are 7 days. All other flashings have a delivery time of 7 days except EBP 0021B which is 11 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).
 Flashing colour NCS: S 7500-N. (Nearest RAL colour: 7043). Twin and combination flashings are also available in titanium zinc, copper and a wide range of colours to match the roof window finish.
- ▶ Other recessed combination flashing options are available subject to lead times. Contact our customer support team for details on recessed Triple and

Support Trimmers

- VELUX support trimmers provide structural support and also a harmonious finish.
- Available in white or pine to match the roof windows.

EBY W20 2000

EBY W27 2000

EBY W35 2000

EKY W20 2000

EKY W27 2000

EKY W35 2000

- · Available in three different lengths.
- The EBY is used for frame gaps of 18mm between the roof windows and the EKY for 100mm gaps.

Support trimmer for 18mm frame gap - white roof windows

2.000mm long.

2,700mm long.

3,500mm long. Support trimmer for 100mm frame gap – white roof windows

2,000mm long.

2,700mm long.

3,500mm long.



£140

£176

£232

£232

£258

£294





More flashings options can be found in our extended



Support trimmer for 18mm frame gap – pine roof windows												
EBY W20 3000	2,000mm long.	£140										
EBY W27 3000	2,700mm long.	£176										
EBY W35 3000 3,500mm long. £232												
Support trimmer for 100mm frame gap – pine roof windows												
Support trimmer for 1	00mm frame gap – pine roo	f windows										
Support trimmer for 1 EKY W20 3000	00mm frame gap – pine roo 2,000mm long.	f windows £232										
	311											

Roof window profile set (For use with on site flashing)


External frame size (nominal w x h) cm

Code	
ZWC 0000T	Click-on external window profiles a special head flashings.

55 x 78	55 x 98	55 x 118	78 x 98	66 x 118	78 x 118	78 x 140	134 x 98	94 x 140	114 x 118	94 x 160	134 x 140
CK02	CK04	CK06	MK04	FK06	MK06	MK08	UK04	PK08	SK06	PK10	UK08
£22	£23	£23	£24	£25	£25	£27	£30	£30	£30	£31	£34

- ▶ Support trimmers have a delivery time of 7 days.
- ▶ Roof window profile sets have a delivery time of 2 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

60



How to select your blinds

1 Select type

Choose an interior and/or exterior VELUX blind or shutter that meets your requirements in terms of heat protection, blackout, light adjustment or insect protection.

2 Select colour and design

Our blinds are available in an array of exciting colours and designs.

3 Select operation method


Choose between manual or automatic operation. Always consider electrically-operated products for out-of-reach areas.

4 Select the right size

Check the data plate which displays the type and size of your roof window – you must match the blinds you order to this information. See the chart below for more details.

VELUX roof window data plates





5 Installed in minutes

VELUX interior blinds are easily installed with our unique Pick&Click!™ system. Follow the instructions, and your blinds will be fitted in minutes.

Pick&Click!®

New VELUX roof windows are fitted with pre-installed brackets to ease installation and to ensure a perfect fit every time.








All VELUX internal blinds are power operated or cordless operated and fulfil the safety in use requirements in EN 13120:2009+A1:2014 and EN 60335-2-97:2006+EN 60335-2-97:2006/A12:2015.

Sizing chart

It's simple to make sure you order the right size of blind:

- Check your roof window's data plate, then use the SIZE CODE to find its measurements on the chart below.
- Now you can check the price of your chosen blind on the following pages.
- Make sure you use the SIZE CODE on your roof window's data plate when ordering your blind at veluxblindsdirect.co.uk



Duo and blackout blinds


Blackout blinds



The VELUX blackout blind offers almost complete blackout for darkness anytime. Ideal for installing in bedrooms to ensure a good night's sleep.

- Fabric offers complete blackout.
- · Stepless positioning.
- Available in 24 colours.
- OEKO-TEX® certified.





Duo blackout blinds



The VELUX duo blind is a blackout blind and a pleated blind in one. It offers the best of both worlds: blackout at any time and softly diffused natural light all day.

- Fabric offers complete blackout.
- · Stepless positioning.
- · Flat and pleated cloth.
- Available in 24 colours.
- Softly diffuses incoming daylight.
- OEKO-TEX® certified.



Upgrade from blackout to duo blackout for £22 ex VAT

Use the SIZE CODE to order – check the sizing chart on page 63



Blackout b	linds. Pl	ease refer to	page 63	3 for your	product	code.											
Manual	DICI	Price Group 1	£60	£62	£66	£70	£72	£74	£74	£76	£82	£100	£90	£96	£78	£96	£110
Manual	DKL	Price Group 2	£70	£72	£76	£80	£82	£84	£84	£86	£92	£110	£100	£106	£88	£106	£120
Flootuio	DMI	Price Group 1	£184	£186	£190	£194	£196	£198	£198	£200	£206	£224	£214	£220	£202	£220	£234
Electric	Electric DML	Price Group 2	£194	£196	£200	£204	£206	£208	£208	£210	£216	£234	£224	£230	£212	£230	£244
Solar		Price Group 1	£208	£210	£214	£218	£220	£222	£222	£224	£230	£248	£238	£244	£226	£244	£258
Solai	DSL	Price Group 2	£218	£220	£224	£228	£230	£232	£232	£234	£240	£258	£248	£254	£236	£254	£268
Duo	Duo blackout DFD	Price Group 1	£82	£84	£88	£92	£94	£96	£96	£98	£104	£122	£112	£118	£100	£118	£132
blackout		Price Group 2	£92	£94	£98	£102	£104	£106	£106	£108	£114	£132	£122	£128	£110	£128	£142

Electrically powered products combined with a manual VELUX roof window require a control unit KUX 110. Refer to page 73 for details.

- All blinds and shutters have a delivery time of up to 7 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Blackout energy blinds

Blackout energy blind



- Fabric offers complete blackout.
- · Stepless positioning.
- · Double pleated cloth.
- Available in 12 colours.
- Installs in minutes with our unique Pick&Click!™ system.
- Free positioning in the window frame.
- Protects against cold from the outside.
- No visible cords.

Light-dimming energy blind



- Light-dimming.
- Protects against cold from the outside.
- Privacy and diffusion of incoming daylight.
- Available in both electrical and solar powered versions.
- Operated by remote control for easy operation with possibility for programming.
- Installs in minutes with our unique Pick&Click!™ system.
- · Double pleated cloth.
- Available in 12 colours.







Blackout energy blinds. Please refer to page 63 for your product code.

Manual FHC	Group 1	£76	£80	£86	£90	£94	£96	£96	£100	£108	£130	£118	£126	£102	£124	£144	
Iviariuai	FHC	Price Group 2	£86	£90	£96	£100	£104	£106	£106	£110	£118	£140	£128	£136	£112	£134	£154
Light-dimn	ning ene	ergy blinds	. Please r	refer to pa	age 63 fo	r your pr	oduct co	de.									
Flootwie	FMC	Price Group 1	£200	£204	£210	£214	£218	£220	£220	£224	£232	£254	£242	£250	£226	£248	£268
Electric	FIVIC	Price Group 2	£210	£214	£220	£224	£228	£230	£230	£234	£242	£264	£252	£260	£236	£258	£278
		Price Group 1	£224	£228	£234	£238	£242	£244	£244	£248	£256	£278	£272	£274	£250	£272	£292



Solar

Ready for the smart home future?

VELUX ACTIVE with NETATMO lets you operate your VELUX INTEGRA® blinds with your smartphone or via voice control with Apple HomeKit®.

 Price Group 2
 £234
 £238
 £244
 £248
 £252
 £254
 £254
 £258
 £266
 £288
 £282
 £284
 £260
 £282
 £302

Find out more on page 30 or at velux.co.uk/active



Children's collection

Disney & VELUX Goodnight Collection






The new Disney & VELUX Goodnight Collection is our latest range of blackout blinds designed for kids. Inspired by their favourite characters from Frozen, Cars and Winnie the Pooh, night time has never been so much fun.

Our themed blinds will spark their imagination while they play during the day and because the fabric offers total blackout, they'll enjoy restful sleep too.

- 99.9% blackout the best on the market!
- Installs in minutes with the unique VELUX Pick&Click!™ system.
- OEKO-TEX® certified no harmful substances.
- Slimline design integrates perfectly with VELUX roof windows.

Use the SIZE CODE to order - check the



- All blinds and shutters have a delivery time of up to 7 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Please note: as with all fabrics, the precise colours may vary from the printed samples. Designs shown for illustration purposes only. The blind may differ due to the fact that each design is scaled to match the specific window size.







Disney & VELUX Goodnight Collection









VELUX children's blinds



Hot Air Balloons







Cars Racetrack



Cars Moon



Cars Film Strip



Universe 4653



Racing Cars 4654



Roads 4655



Frozen Anna & Elsa









© Disney. © Disney/Pixar.

© Disney. Based on the "Winnie the Pooh" works by A. A. Milne and E. H. Shepard.

Find the collection at veluxblindsdirect.co.uk

Children's collection

Star Wars & VELUX Galactic Night Collection



© & ™ Lucasfilm Ltd.

Our Star Wars & VELUX Galactic Night Collection is a range of blackout blinds designed for tough Jedi knights and other adventurers. Choose from 4 exciting designs.







Darth Vader 4710




The Death Star 4711



lo Ren



Droids



- All blinds and shutters have a delivery time of up to 7 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Pleated blinds

Flying pleated blinds



The VELUX pleated blind provides an excellent way to control the daylight in your room and allows you to create colourful and original light effects that can complement your personal choice of furniture and decor. It can be positioned anywhere on the window.

View 100s of options at veluxblindsdirect.co.uk

This makes the blind ideal for installing in living rooms or dining areas.

- Colourful light effects Softens incoming light.
- **Decoration**Beautiful decoration for living rooms.
- Flexible positioning
 Dual control bars allow
 you to adjust the blind from
 both the top and the bottom
 of the window, letting in
 exactly the right light.
- Upgrade
 Available in electric operation.

Use the SIZE CODE to order – check the sizing chart on page 63





Standard colours Price Group 1




Pleated blinds. Please refer to page 63 for your product code.																	
Manual	F111	Price Group 1	£60	£62	£66	£70	£72	£74	£74	£76	£82	£100	£90	£96	£78	£96	£110
Manual		Price Group 2	£70	£72	£76	£80	£82	£84	£84	£86	£92	£110	£100	£106	£88	£106	£120
Electric FML	EMI	Price Group 1	£184	£186	£190	£194	£196	£198	£198	£200	£206	£224	£214	£220	£202	£220	£234
	Price Group 2	£194	£196	£200	£204	£206	£208	£208	£210	£216	£234	£224	£230	£212	£230	£244	
Solar FSL	Price Group 1	£208	£210	£214	£218	£220	£222	£222	£224	£230	£248	£238	£244	£226	£244	£258	
Sulai	raL	Price Group 2	£218	£220	£224	£228	£230	£232	£232	£234	£240	£258	£248	£254	£236	£254	£268

Blinds for flat roof windows.									
Window size	060060	060090	080080	090090	100100	090120	120120	100150	150150
FMG Electric Pleated Blinds	£223	£226	£230	£235	£240	£245	£250	£254	-
FMK Electric Light-Dimming Energy Blinds	£243	£246	£250	£255	£260	£265	£270	£274	£320
FSK Solar Light-Dimming Energy Blind	£248	£251	£255	£260	£265	£270	£275	£279	£325
KUX 110 - Additional control system to allow FMG blin	nd to be fitt	ed to CFP	fixed vers	ion.					£99

FMG - Electric Pleated



FMK and FSK - Light-Dimming Energy



■ Electrically powered products combined with a manual VELUX roof window require a control unit KUX 110. Refer to page 73 for details.

- ▶ All blinds and shutters have a delivery time of up to 7 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).


Venetian blinds



Venetian blinds

The VELUX Venetian blind gives you complete control of the light and is the ideal solution for rooms where you want to adjust the amount and direction of incoming light. As the blinds are made of aluminium they are also very easy to wipe clean and an ideal solution for rooms with high levels of humidity, such as kitchens and bathrooms.


- Complete light control
 Control the amount and direction
 of incoming light and shadows.
- Award-winning design
 Praised for the unique tilt
 mechanism and cordless operation.
- Colours
 Choose from 9 colour choices.



Use the SIZE CODE to order – check the sizing chart on page 63

Manual

70



£86 £90 £96 £100 £104 £106 £106 £110 £118 £140 £128 £136 £112 £134 £154

- ► All blinds and shutters have a delivery time of up to 7 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Roller and Roman blinds

4157

9050

4000

4155

Roller blinds



The VELUX roller blind provides basic privacy whilst still allowing natural light in. A VELUX roller blind is an effective and practical solution that offers protection and looks good. Roller blinds are therefore well suited for living rooms, home offices, playrooms, and rooms where you want basic privacy and the ability to diffuse the light.


- **Privacy**Provides basic privacy.
- Harmonious light
 Softens the incoming light.
- Upgrade
 Available in electric and solar powered operation.

Roman blinds



Create a soft and warm atmosphere with the new decorative VELUX Roman blinds. Explore the potential of beautiful fabrics and be inspired by the soft styling effects that make this collection refined and original.

- **Colours** Choose from 20 elegant and decorative colours.
- Upgrade Interchangeable fabrics.
- **Maintenance** Fabric can be removed for easy cleaning.





Standard colours Price Group 1

New styling in no time, the Roman blind fabrics can be removed for easy cleaning. All Roman blind fabrics can be bought separately for flexibility in style. Just choose the right one for you.

55x70 55x78 55x98 55x118 78x98 66x118 70x118 78x140 134x98 94x140 114x118 94x98 94x160 134x140

Roller blinds. Please refer to page 63 for your product code. Manual RFL Group 1 £60 £62 £66 £70 £72 £74 £76 £82 £100 £90 £96 £78 £96 £110 Price Group 2 £70 £72 £76 £82 £84 £86 £92 £110 £100 £106 £88 £100 £120 Electric RML Price Group 1 £184 £186 £190 £194 £196 £198 £198 £200 £206 £224 £220 £220 £223 £224 Price Group 2 £194 £196 £204 £206 £208 £208 £208 £208 £208 £208 £208 £214 £220 £222 £223 £224 £234 £234 £234 £234 £230 £212 £234 £244 £230 £212 £234 £244 £236 £244 £258 Solar Price Group 2 £218 £2

Roman blin	ds. Plea	se refer to p	age 63 fo	or your pr	oduct co	de.											
Manual	FUD	Price Group 1	£76	£80	£86	£90	£94	£96	£96	£100	£108	£130	£118	£126	£102	£124	£144
Manual FI	FHB	Price Group 2	£86	£90	£96	£100	£104	£106	£106	£110	£118	£140	£128	£136	£112	£134	£154
Repl. cloth for Roman	ZUD	Price Group 1	£38	£40	£42	£44	£46	£48	£48	£50	£54	£64	£58	£62	£52	£62	£72
blind	Z ПВ	Price Group 2	£48	£50	£52	£54	£56	£58	£58	£60	£64	£74	£68	£72	£62	£72	£82

■ Electrically powered products combined with a manual VELUX roof window require a control unit KUX 110. Refer to page 73 for details.

- $\blacktriangleright \text{All blinds and shutters have a delivery time of up to 7 days except the Roman blind (FHB) which is 13 days.}$
- ▶ Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Maintenance kits

External awning blinds and shutters

External awning blinds



The VELUX awning blind is an external blind perfectly suited to stop strong sunlight and heat before it reaches the pane on your roof window. These unique blinds are ideal for keeping rooms cool and reducing the heat of the sun on hot summer days.

- Sun yes, heat no Reduce heat by up to 73%.
- Quality Weather resistant fabric for longer lasting performance.
- Easy installation Install from the inside in minutes.
- Upgrade Available in electric and solar powered operation.

Roller shutters







Complete light control

· Keeps out the light and prevents overheating.

Energy saving

 Provides insulation in cold weather.

Security

 Provides additional security and protection from the elements.

Upgrade

• Available in electric (for use with VELUX INTEGRA® electric roof windows) and solar (for use with solar or manual roof windows).

Sound reduction

 Provides additional sound insulation against rainfall

£55





Accessories

Rod controls

ZCT 200

Locks and restrictors













Electric accessories







Accessories

Code	Description	Price
Rod controls		
ZCT 200	Telescopic pole100-180 cmforoperationofcentre-pivotroofwindows.	£26
ZCT 100	100cm extension for ZCT 200K.	£16
Z0Z 085	$Pole \ adaptor \ for \ VELUX \ manual \ blinds \ that \ are \ out \ of \ reach \ to \ allow \ operation \ with \ rod \ control \ (ZCT \ 200K). \ One \ per \ blind.$	£6
Locks and restrictor		
Z0Z 012K1	Security lock for centre-pivot roof windows.	£44
Z0Z 010KC S011	$Opening \ restrictor \ with key for centre-pivot \ roof \ windows. Suitable \ for \ roof \ windows \ of \ frame \ height 98cm \ and \ above.$	£44
Maintenance kits		
ZZZ 129KC	$Repair\ kit\ for\ white\ polyure than e\ roof\ windows.\ Includes\ filler, sandpaper\ and\ polyure than e\ paint.$	£12
ZZZ 130KC	Repair kit for white painted roof windows. Includes filler, white paint, sandpaper, roller and paintbrush.	£12
ZZZ 131KC	Care kit for white painted roof windows. Includes cleaning solution, maintenance protector and cloth.	£27
Electric accessories		
KUX 110	Control system for operation of single electrical accessory on a manual roof window or fixed flat roof window.	£99

- All rod controls have a delivery time of 2 days.
- ▶ All locks and restrictors have a delivery time of 7 days.
- ▶ All maintenance kits have a delivery time of 2 days. All electric accessories have a delivery time of 7 days.
- Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

Awning blinds. Please refer to page 63 for your product code.

Manual	MHL	£44	£44	£44	£44	£54	£52	£56	£54	£54	£72	£60	£70	£60	£60	£72
Electric	MML	£264	£268	£274	£278	£280	£282	£282	£286	£292	£308	£306	£314	£288	£324	£330
Solar	MSL	£354	£358	£364	£368	£370	£372	£372	£376	£382	£398	£396	£404	£378	£414	£420

For roof w	For roof windows manufactured before April 2001 you must also order ZOZ 228 to fit awning blinds MML and MSL.															£34	
Roller shut	Roller shutters																
Manual	SHL		£226	£226	£242	£250	£258	£260	-	£270	£286	£312	£310	£314	£278	£326	£364
Electric	SML		£338	£338	£362	£374	£386	£388	£388	£404	£428	£466	£462	£470	£416	£486	£542
Solar	SSL		£382	£382	£408	£422	£436	£440	£440	£456	£482	£526	£522	£530	£470	£548	£614

	Awning blinds for flat roof windows.									
	$MSG\ heat\text{-}reduction\ awning\ blind.\ Fitted\ between\ curved\ glass\ rooflight\ and\ polycarbonate\ dome.\ Solar\ powered.\ Available\ in\ white\ (6090).$									
	Window size	060060	060090	080080	090090	100100	090120	120120	100150	150150
	MSG solar heat reduction awning blinds	£248	£251	£255	£260	£265	£270	£279	£275	-

■ Electrically powered products combined with a manual VELUX roof window require a control unit KUX 110. Refer to page 73 for details.

- All blinds and shutters have a delivery time of up to 7 days.
- ▶ Delivery time is in working days from receipt of orders placed before 4pm (UK) and 3pm (NI).

72

guide Size our

Using


Note all sizes refer to the external frame size of the roof window and not the glazed area. Please refer to installation instructions for trimmed opening sizes.

For product sizes and specifications not listed in this brochure, please visit velux.co.uk or contact us 01592 778 225.

Looking to replace your existing VELUX roof window? Use these handy size charts to locate your current window code and the replacement code.

For example, if your current window code is GGL4, the replacement size code for this is SK06.

All measurements are in mm and cm as indicated.





VELUX CABRIO®

308 **M08**


0K14

634 S34 **SK34** 834 U34 **UK34** MK34 PK34 mm 4472 - 4550 - 4660 - 4780 - 4942 - 41140 - 41340 - 1340





Note: All sizes for flat roof windows refer to structural opening sizes.





VELUX Company Lt Woodside Way Glenrothes Fife Scotland KY7 4ND Tel: 01592 778 225 Fax: 01592 776 980 sales@velux.co.uk velux.co.uk

Bringing light to life



VELUX product range